AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Comte 8 🔺 CH-1844 Villeneuve 🔺 +41 (0)21 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



Flight test report: EN 926-2:2013+A1:2021* & NfL 2-565-20

Manufacturer Fly-Market Flugsport- Zubehör Skyman		Certification number	F	PG_2020.2022	
Address Am Schönebach 3 87637 Eisenberg Germany		Flight test	1	15.08.2022	
Glider model	Sir Edmund Shark 20	Classification	Е	3	
Serial number 2k21-sample019		Representative	N	None	
Trimmer no		Place of test		Villeneuve	
-		riace of lest	v	meneuve	
Folding lines used	no				
Test pilot		Victor Chinen Cirilli	C	Claude Thurnheer	
Harness		Woody Valley - Wani Light 2 M	Α	Advance - Success 4 M	
Harness to risers d	istance (cm)	43	4	43	
Distance between risers (cm)		40	4	46	
Total weight in flight (kg)		70		100	
	·· (··3)		'	~~	
1. Inflation/Take-off		Α			
Rising behaviour		Smooth, easy and constant rising	А	Smooth, easy and constant rising	А
Special take off technique required		No	А	No	А
2. Landing		Α			
Special landing technique required		No	Α	No	A
3. Speed in straight flight		Α			
Trim speed more than 30 km/h		Yes	Α	Yes	Α
Speed range using the controls larger than 10 km/h		Yes	A	Yes	A
Minimum speed		Less than 25 km/h	Α	Less than 25 km/h	A
4. Control movement		Α			
Max. weight in flight up to 80 kg		have a size of an action the set EE and	•		0
Symmetric control pressure / travel		Increasing / greater than 55 cm	A	not available	0
Max. weight in flight 80 kg to 100 kg		not available	0	Increasing / greater than 60 cm	А
Symmetric control pressure / travel		not available	0	increasing / greater than oo chi	~
Max. weight in flight greater than 100 kg		not available	0	not available	0
Symmetric control pressure / travel 5. Pitch stability exiting accelerated flight		A	0		0
Dive forward angle on exit		Dive forward less than 30°	А	Dive forward less than 30°	А
Collapse occurs		No	A	No	A
6. Pitch stability operating controls during accelerated flight		A			
Collapse occurs		No	А	No	А
7. Roll stability and damping		Α			
Oscillations		Reducing	А	Reducing	А
8. Stability in gentle spin	als	Α			
Tendency to return to straight flight		Spontaneous exit	А	Spontaneous exit	А
9. Behaviour exiting a fully developed spiral dive		Α			
Initial response of glider (first 180°)		Immediate reduction of rate of turn	A	Immediate reduction of rate of turn	Α
Tendency to return to straight flight		Spontaneous exit (g force decreasing, rate of turn decreasing)	A	Spontaneous exit (g force decreasing, rate of turn decreasing)	A
Turn angle to recover nor	mal flight	Less than 720°, spontaneous recovery	A	Less than 720°, spontaneous recovery	A
10. Symmetric front coll		В			

*This standard is NOT covered by accreditation D-IS-19457-01 Test Report generated automatically by AIR TURQUOISE SA, valid without signature Rev 07 | 04.03.2022 // ISO | 91.22 // Page 1 of 3

Fisher	Deside a base there 45%			•
Entry	Rocking back less than 45°	A	Rocking back less than 45°	A
Recovery	Spontaneous in less than 3 s	Α	Spontaneous in 3 s to 5 s	В
Dive forward angle on exit Change of course	Dive forward 0° to 30° Keeping course	A	Dive forward 0° to 30° Keeping course	A
Cascade occurs	No	А	No	А
Folding lines used	No	Α	No	А
At least 50% chord				
Entry	Rocking back less than 45°	А	Rocking back less than 45°	А
Recovery	Spontaneous in less than 3 s	А	Spontaneous in 3 s to 5 s	в
Dive forward angle on exit / Change of course	Dive forward 0° to 30° / Keeping	A	Dive forward 0° to 30° / Keeping	A
	course		course	,,
Cascade occurs	No	А	No	А
Folding lines used	No	А	No	А
With accelerator				
Entry	Rocking back less than 45°	А	Rocking back less than 45°	А
Recovery	Spontaneous in less than 3 s	A	Spontaneous in 3 s to 5 s	В
Dive forward angle on exit / Change of course	Dive forward 0° to 30° / Keeping	A	Dive forward 0° to 30° / Keeping	A
	course	Α	course	~
Cascade occurs	No	А	No	А
Folding lines used	No	А	No	А
11. Exiting deep stall (parachutal stall)	В			
Deep stall achieved	Yes	Α	Yes	А
Recovery	Spontaneous in less than 3 s	А	Spontaneous in less than 3 s	А
Dive forward angle on exit	Dive forward 30° to 60°	В	Dive forward 0° to 30°	А
Change of course	Changing course less than 45°	А	Changing course less than 45°	А
Cascade occurs	No	А	No	А
12. High angle of attack recovery	Α			
Recovery	Spontaneous in less than 3 s	А	Spontaneous in less than 3 s	А
Cascade occurs	No	А	No	А
13. Recovery from a developed full stall	В			
Dive forward angle on exit	Dive forward 30° to 60°	в	Dive forward 30° to 60°	В
Collapse	No collapse	A	No collapse	A
•	No	A	No	A
Cascade occurs (other than collapses)	Less than 45°		Less than 45°	
Rocking back		A		A
Line tension	Most lines tight	A	Most lines tight	A
14. Asymmetric collapse	Α			
Small asymmetric collapse				
Change of course until re-inflation / Maximum dive forward or roll angle	Less than 90° / Dive or roll angle 15° to 45°	A	Less than 90° / Dive or roll angle 0° to 15°	A
Re-inflation behaviour	Spontaneous re-inflation	Α	Spontaneous re-inflation	А
Total change of course	Less than 360°	Α	Less than 360°	А
Collapse on the opposite side occurs	No (or only a small number of collapsed cells with a spontaneous reinflation)	A	No (or only a small number of collapsed cells with a spontaneous reinflation)	A
Twist occurs	No	А	No	А
Cascade occurs	No	А	No	А
Folding lines used	No	А	No	А
Large asymmetric collapse				
Change of course until re-inflation / Maximum dive forward or roll angle	Less than 90° / Dive or roll angle 15° to 45°	Α	Less than 90° / Dive or roll angle 15° to 45°	А
Re-inflation behaviour	Spontaneous re-inflation	А	Spontaneous re-inflation	А
Total change of course	Less than 360°	А	Less than 360°	А
Collapse on the opposite side occurs	No (or only a small number of collapsed cells with a spontaneous reinflation)	A	No (or only a small number of collapsed cells with a spontaneous reinflation)	A
Twist occurs	No	А	No	А
Cascade occurs	No	А	No	А
Folding lines used	No	A	No	A
Small asymmetric collapse with fully activated accelerator	-		-	
Change of course until re-inflation / Maximum dive forward or roll angle	Less than 90° / Dive or roll angle 15° to 45°	A	Less than 90° / Dive or roll angle 15° to 45° $$	А

Re-inflation behaviour	Spontaneous re-inflation	А	Spontaneous re-inflation	А
Total change of course	Less than 360°	А	Less than 360°	А
Collapse on the opposite side occurs	No (or only a small number of collapsed cells with a spontaneous reinflation)	A	No (or only a small number of collapsed cells with a spontaneous reinflation)	A
Twist occurs	No	А	No	А
Cascade occurs	No	А	No	А
Folding lines used	No	А	No	А
Large asymmetric collapse with fully activated accelerator				
Change of course until re-inflation / Maximum dive forward or roll angle	Less than 90° / Dive or roll angle 15° to 45°	A	Less than 90° / Dive or roll angle 15° to 45°	A
Re-inflation behaviour	Spontaneous re-inflation	А	Spontaneous re-inflation	А
Total change of course	Less than 360°	А	Less than 360°	А
Collapse on the opposite side occurs	No (or only a small number of collapsed cells with a spontaneous reinflation)	A	No (or only a small number of collapsed cells with a spontaneous reinflation)	A
Twist occurs	No	А	No	А
Cascade occurs	No	А	No	А
Folding lines used	No	А	No	А
15. Directional control with a maintained asymmetric	Α			
collapse				
Able to keep course	Yes	A	Yes	A
180° turn away from the collapsed side possible in 10 s	Yes	A	Yes	A
Amount of control range between turn and stall or spin	More than 50 % of the symmetric control travel	A	More than 50 % of the symmetric control travel	A
16. Trim speed spin tendency	A	•	Nia	•
Spin occurs	No	A	No	A
17. Low speed spin tendency	A	۸	No	^
Spin occurs	No	A	No	A
18. Recovery from a developed spin	A Stone oninning in loss than 00°	۸	Stone enimping in less than 00°	^
Spin rotation angle after release	Stops spinning in less than 90°	A A	Stops spinning in less than 90°	A
Cascade occurs 19. B-line stall	No 0	A	No	A
Change of course before release	not available	0	not available	0
Behaviour before release	not available	0	not available	0
Recovery	not available	0	not available	0
Dive forward angle on exit	not available		not available	0
Cascade occurs	not available	0	not available	0
20. Big ears	A	U		U
Entry procedure	Standard technique	А	Standard technique	А
Behaviour during big ears	Stable flight	A	Stable flight	A
Recovery	Spontaneous in less than 3 s	A	Spontaneous in less than 3 s	A
Dive forward angle on exit	Dive forward 0° to 30°	A	Dive forward 0° to 30°	A
21. Big ears in accelerated flight	A	,,		
Entry procedure	Standard technique	А	Standard technique	А
Behaviour during big ears	Stable flight	A	Stable flight	A
Recovery	Spontaneous in less than 3 s	A	Spontaneous in less than 3 s	A
Dive forward angle on exit	Dive forward 0° to 30°	А	Dive forward 0° to 30°	А
Behaviour immediately after releasing the accelerator while	Stable flight	A	Stable flight	А
maintaining big ears				
22. Alternative means of directional control	Α			
	A Yes	А	Yes	А
22. Alternative means of directional control		A A	Yes No	A A
22. Alternative means of directional control 180° turn achievable in 20 s	Yes			
 22. Alternative means of directional control 180° turn achievable in 20 s Stall or spin occurs 23. Any other flight procedure and/or configuration 	Yes No			
 22. Alternative means of directional control 180° turn achievable in 20 s Stall or spin occurs 23. Any other flight procedure and/or configuration described in the user's manual 	Yes No O	A	No	A